# Scientific Programming: Part B

### Graphs

Luca Bianco - Academic Year 2020-21 luca.bianco@fmach.it [credits: thanks to Prof. Alberto Montresor]


### Graphs

### Graph:

$$G = (V,E)$$

Where V and E are finite sets:

- V is the set of nodes (i.e. 'things')
- E is the set of edges (i.e. relationships among things) E : V x V




#### NOTE:


we can add labels to the nodes and weights to the edges

### Graphs: examples






[From: Compeau et al, How to apply de Bruijn graphs to genome assembly, Nature Biotech,2011]




http://www.kegg.jp/

# Graphs: examples




A "real" de-bruijn graph




A MSN of similarities among ~1000 Sars-Cov2 genomes

### Graphs: examples



A 10 actor social network introduced by David Krackhardt to illustrate: degree, betweenness, centrality, closeness, etc. The traditional labeling is: Andre=1, Beverley=2, Carol=3, Diane=4, Ed=5, Fernando=6, Garth=7, Heather=8, Ike=9, Jane=0. [Social Network analysis for startups, "O'Reilly Media, Inc.", 2011]




The London underground system

### Graphs


#### Directed graph G = (V, E)

- V is a set of vertexes/nodes
- E is a set of edges, i.e. ordered pairs (u, v) of nodes



#### Undirected graph G = (V, E)


- V is a set of vertexes/nodes
- E is a set of edges, i.e. unordered pairs [u, v] of nodes



Relations represented by edges can be **symmetric** (e.g. sibling\_of: if X is sibling of Y then Y is sibling of X) and in this case the edges are just lines rather than arrows. In this case the graph is **directed**. In case relationships are not symmetric (i.e.  $X \rightarrow Y$  does not imply  $Y \rightarrow X$ ) we put an arrow to indicate the direction of the relationship among the nodes and in this case we say the graph is **undirected**.

### **Definitions**

- Vertex v is adjacent to u if and only if  $(u, v) \in E$ .
- In an undirected graph, the adjacency relation is symmetric
- An edge (u, v) is said to be incident from u to v



- $\bullet$  (a,b) is incident from a to b
- $\bullet$  (a,d) is incident from a to d
- $\bullet$  (d, a) is incident from d to a
- $\bullet$  b is adjacent to a
- $\bullet$  d is adjacent to a
- $\bullet$  a is adjacent to d

### Size and complexity

#### **Definitions**

- n = |V|: number of nodes
- m = |E|: number of edges

#### Relationships between n and m


- In an undirected graph,  $m \le \frac{n(n-1)}{2} = O(n^2)$
- In a directed graph,  $m \le n^2 n = O(n^2)$

#### Complexity of graph algorithms

• The computational complexity is measured based on both n and m (e.g. O(n+m))

Ignoring self loops





Undirected graph n= 4 m = 6 (=4\*3/2)

### Size and complexity

#### **Definitions**

- n = |V|: number of nodes
- m = |E|: number of edges

#### Relationships between n and m


- In an undirected graph,  $m \le \frac{n(n-1)}{2} = O(n^2)$
- In a directed graph,  $m \le n^2 n = O(n^2)$

#### Complexity of graph algorithms

• The computational complexity is measured based on both n and m (e.g. O(n+m))

Ignoring self loops







Directed graph n= 4 m = 12 (=16-4)

### Some special cases


- A graph with an edge between all pairs of nodes is complete
- Informally (there is no agreement on the definitions)
  - A graph with "few" edges is said to be sparse; e.g., graphs with  $m = O(n), m = O(n \log n)$
  - A graph with "several" edges is said to be dense; e.g.  $m = \Omega(n^2)$






### Some special cases

- An unrooted tree is a connected graph with m = n 1
- A rooted tree is a connected graph with m = n 1 in which one node is designated as the root.
- A set of trees is called a forest






### Degree


#### Undirected graphs

The degree of a node is the number of edges incident on it.



#### Directed graphs

The in-degree (out-degree) of a node is the number of edges incident to (from) it.



### Random graphs


#### Erdös-Renyi (ER) Model

Create a network with n nodes connecting them with m (undirected) edges chosen randomly out of the possible n\*(n-1)/2 edges.

The probability of two random nodes to be connected is: p = 2m / (n \*(n - 1))

The probability of a node to have a **degree k** (approx. Poisson):

$$p(k) \simeq e^{-\langle k \rangle} \frac{\langle k \rangle}{k!}$$



E-R graph with p=0.01

## Random graphs (1)

#### Barabasi-Albert (BA) Model

Networks grow: nodes are not fixed but grow as a function of time


**Preferential attachment**: the probability that a node gets an edge is proportional to its current degree.

Start from a network with **n nodes** and **m edges** and **add a node at every step**, connecting it to **p<= N** other nodes (with probability depending on their degree).

At time **T** the network will have **n+T nodes** and **m+pT edges**.

The probability of a node to have a **degree k**:

$$p(k) \sim k^{-\gamma_{\text{BA}}}$$



### Example: scale free networks


BA networks are **scale free**: <u>many vertices have few links</u> while some (**hubs**) are <u>highly connected</u>

Very robust against failure but vulnerable to intentional attacks

Examples of scale free networks:

Protein-protein interaction networks
Signal transduction and transcription networks
Internet and social relationships

Most highly connected proteins in the cell are the most important for survival




[A. L. Barabasi and R. Albert. Emergence of scaling in random networks. Science, 286(5439):509-512, 1999]

### **Definition: Path**

#### Path

In a graph G = (V, E), a path C of length k is a sequence of nodes  $u_0, u_1, \ldots, u_k$  such that  $(u_i, u_{i+1} \in E)$  for  $0 \le i \le k-1$ .



Example: a, b, c, e, d is a path of length 4


It is also the shortest path between a and d

Note: a path is said to be simple if all its nodes are distinct

### **Definition: Path**

#### Path

In a graph G = (V, E), a path C of length k is a sequence of nodes  $u_0, u_1, \ldots, u_k$  such that  $(u_i, u_{i+1} \in E)$  for  $0 \le i \le k-1$ .




Example: a, b, c, e, d is a path of length 4

Note: a path is said to be simple if all its nodes are distinct


a,b,c,d is the shortest path from a to d

### Finding paths...

Eulerian Cycle (undirected graphs)



Is it possible to walk around the graph in a way that would involve crossing each EDGE exactly once getting back to start node?




If and only if 0 or 2 nodes have an ODD number of edges

Algorithms exist to find the path in O(n+m)


### Finding paths...

Eulerian Cycle (directed graphs)



NO

Is it possible to walk around the graph in a way that would involve crossing each EDGE exactly once getting back to start node?




YES: DCACEDABD

If the in-degree and out-degree of all nodes are EQUAL

Algorithms exist to find the path in O(n+m)

### Finding paths...

Hamiltonian Cycle (undirected graphs)



YES: ACBEDA

Is it possible to walk around the graph in a way that would involve crossing each NODE exactly once getting back to start node?

#### **NP-complete problem:**

Problems for which there are no polynomial time algorithms known.

IF there was one, then all NP problems would be solved polynomially and P would be equal to NP (P=NP). Interestingly, it is easy to check if a solution is correct or not (but it is

a solution is correct or not (but it is very hard to find such a solution!).

YES, if each node has degree  $\geq n/2$  (num nodes, n  $\geq 3$ )

This is a more complex problem. No polynomial solution is currently known!

### Graph ADT

In the most general case, graphs are dynamic data structures in which nodes and edges can be added/removed

Graph	
Graph()	% Create a new graph
INT size()	% Returns the number of nodes
SET V()	% Returns the set of all nodes
Set $adj(Node u)$ %	Returns the set of nodes adjacent to $\boldsymbol{u}$
$insertNode(Node\ u)$	% Add node $u$ to the graph
$insertEdge(Node\ u, Node\ v)$	% Add edge $(u, v)$ to the graph
$deleteNode(\mathtt{Node}\ u)$	% Removes node $u$ from the graph
$deleteEdge(Node\ u, Node\ v)$	% Removes edge $(u, v)$ from the graph


NOTE: sometimes graphs don't change after being loaded (no delete)

# How can we represent a graph?

Two possible "classic" implementations

- Adjacency matrix
- Adjacency lists

### Adjacency matrix




How do I get all the outgoing edges of a node? And the incoming ones?


# Adjacency matrix

- + : flexible, can put weights on edges
- + : quick to check if edge is present (both ways!)
- + : in undirected graphs, the matrix is symmetric (saves half of the space)
- : in general, it uses a lot of space (matrix n x n no matter how many edges)




Space  $= n^2$  bits







$$m_{uv} = \begin{cases} 1 & (u, v) \in E \\ 0 & (u, v) \notin E \end{cases}$$


Space =  $n^2$  or n(n-1)/2





- Edges may be associated with a weight (cost, profit, etc.)
- The weight is associated through a cost function  $w:V\times V\to \mathbb{R}$
- If there is no edge between two vertices  $u, v, w(u, v) = +\infty$







### Adjacency list

$$G.\mathsf{adj}(u) = \{v | (u,v) \in E\}$$

Space = an + bm bits








How do I get all the outgoing edges of a node? And the incoming ones?

### Adjacency list: undirected graph

$$G.\mathsf{adj}(u) = \{v | (u,v) \in E\}$$







### Adjacency list

- +: flexible, nodes can be complex objects (ex. node1.list\_add(node2); )
- +: uses less space


: checking presence of an edge is in general slower (requires going through the list of source node)


-: getting all incoming edges of a node is slow (requires going through all nodes!)

Workaround: store another list with all "IN"-linking nodes











$$G.adj(u) = \{v | (u, v) \in E\}$$

Space =  $an + 2 \cdot bm$ 





### Possible implementations


Structure	Java	<b>C</b> ++	Python
Linked list	LinkedList	list	
Static vector	[]	[]	[]
Dynamic vector	ArrayList	vector	list
Set	HashSet	set	set
	TreeSet		
Dictionary	HashMap	map	dict
	TreeMap		

Some libraries are available for python (like networkx or igraph) (if interested see <a href="https://networkx.org/">https://networkx.org/</a> or <a href="https://igraph.org/">https://igraph.org/</a>)

Both the concepts of adjacency matrix and adjacency list can be implemented in several ways. Our simple implementation of a <u>weighted directed graph</u> will use a **dictionary**Before that we will see an implementation based on lists

### Graph as adjacency matrix: exercise

```
class DiGraphAsAdjacencyMatrix:
   def init (self):
        #would be better a set, but I need an index
       self. nodes = list()
       self. matrix = list()
   def len (self):
       """gets the number of nodes"""
       return len(self. nodes)
   def nodes(self):
       return self. nodes
   def matrix(self):
       return self. matrix
   def str (self):
        #TODO
        pass
   def insertNode(self, node):
        #TODO
        pass
   def insertEdge(self, node1, node2, weight):
        #TODO
        pass
   def deleteEdge(self, node1,node2):
        """removing an edge means to set its
       corresponding place in the matrix to 0"""
        #TODO
        pass
   def deleteNode(self, node):
       """removing a node means removing
       its corresponding row and column in the matrix"""
       #TODO
        pass
   def adjacent(self, node, incoming = True):
        #TODO
        pass
   def edges(self):
        #TODO
        pass
```



Nodes:


[[0, 0.5, 0, 0, 0, 1], [0, 0, 0.5, 0, 0, 1], [0, 0, 0, 0.5, 0, 1], [0, 0, 0, 0.5, 1], [0.5, 0, 0, 0, 0, 1], [0, 0, 0, 0, 0, 1]]

#### Output of print(G):

	Node 1	Node 2	Node 3	Node 4	Node 5	Node 6
Node 1	0	0.5	0	0	0	1
Node 2	0	0	0.5	Θ	0	1
Node 3	0	Θ	0	0.5	Θ	1
Node 4	0	0	0	0	0.5	1
Node 5	0.5	Θ	0	Θ	0	1
Node_6	0	0	0	0	0	1

### Graph as adjacency matrix: exercise

```
class DiGraphAsAdjacencyMatrix:
   def init (self):
       #would be better a set, but I need an index
       self. nodes = list()
       self. matrix = list()
   def len (self):
       """gets the number of nodes"""
       return len(self. nodes)
   def nodes(self):
       return self. nodes
   def matrix(self):
       return self. matrix
   def str (self):
        #TODO
        pass
   def insertNode(self, node):
        #TODO
        pass
   def insertEdge(self, node1, node2, weight):
        #TODO
        pass
   def deleteEdge(self, node1,node2):
        """removing an edge means to set its
       corresponding place in the matrix to 0"""
        #TODO
        pass
   def deleteNode(self, node):
       """removing a node means removing
       its corresponding row and column in the matrix"""
        #TODO
        pass
   def adjacent(self, node, incoming = True):
        #TODO
        pass
   def edges(self):
        #TODO
        pass
```



#### Example

Adding a node (1 row + 1 col)

Nodes:

[[0, 0.5, 0, 0, 0, 1], [0, 0, 0.5, 0, 0, 1], [0, 0, 0, 0.5, 0, 1], [0, 0, 0, 0.5, 1], [0.5, 0, 0, 0, 0, 1], [0, 0, 0, 0, 0, 0]]

#### Output of print(G):

	Node 1	Node 2	Node_3	Node_4	Node 5	Node 6	Node 7
Node 1	0	0.5	0	0	0	1	0 _
Node 2	0	0	0.5	0	0	1	0
Node 3	0	Θ	0	0.5	0	1	0
Node 4	0	0	0	0	0.5	1	0
Node 5	0.5	0	0	Θ	0	1	0
Node 6	0	0	0	0	0	1	0
Node_7	0	0	0	0	0	0	0

# Weighted Graph (adj list as a dict of dicts)

```
class Graph:
    # initializer, nodes are private!
   def init (self):
        self. nodes = dict()
   #returns the size of the Graph
   #accessible through len(Graph)
   def len (self):
        return len(self. nodes)
    #returns the nodes
   def V(self):
        return self. nodes.keys()
   #a generator of nodes to access all of them
    #once (not a very useful example!)
   def node iterator(self):
       for n in self. nodes.keys():
           vield n
    #a generator of edges (as triplets (u,v,w)) to access all of them
   def edge iterator(self):
        for u in self. nodes:
           for v in self. nodes[u]:
               yield (u,v,self. nodes[u][v])
    #returns all the adjacent nodes of node
    #as a dictionary with key as the other node
    #and value the weight
   def adi(self, node):
       if node in self. nodes.keys():
           return self. nodes[node]
   #adds the node to the graph
   def insert node(self, node):
       if node not in self. nodes:
           self. nodes[node] = dict()
```

```
#adds the edge startN --> endN with weight w
#that has 0 as default
def insert edge(self, startN, endN, w = 0):
    #does nothing if already in
    self.insert node(startN)
    self.insert node(endN)
    self. nodes[startN][endN] = w
#converts the graph into a string
                                                        Note:
def str (self):
                                                        nodes['a'] = {'b' :0, 'd' :0}
    out str = "Nodes:\n" + ",".join(self. nodes)
    out str +="\nEdges:\n"
                                                        nodes['d'] = {'a' : 0, ... }
    for u in self. nodes:
        for v in self. nodes[u]:
            out str +="{} --{}--> {}\n".format(u,self. nodes[u][v],v)
        if len(self. nodes[u]) == 0:
            out str +="{}\n".format(u)
    return out str
                                                                           a --b--> 0
   if name == " main ":
       G = Graph()
       for u,v in [ ('a', 'b'), ('a', 'd'), ('b', 'c'),
                                                                           d --a--> 0
                   ('d', 'a'), ('d', 'c'), ('d', 'e'), ('e', 'c') ]:
                                                                           d -- c--> 0
           G.insert edge(u.v)
                                                                           d --e--> 0
       for edge in G.edge iterator():
                                                                           e -- c--> 0
           print("{} --{}--> {}".format(edge[0],
                                                                          G has 6 nodes:
                                      edge[1],
                                                                          abdcef
                                      edge[2]))
                                                                          Nodes:
       G.insert node('f')
                                                                          a,b,d,c,e,f
       print("\nG has {} nodes:".format(len(G)))
                                                                           Edges:
       for node in G.node iterator():
                                                                           a --0--> b
           print("{}".format(node), end= " ")
                                                                           a --0--> d
       print("")
                                                                           b --0--> c
       print(G)
                                                                           d -- 0 -- > a
       print("Nodes adjacent to 'd': {}".format(G.adj('d')))
                                                                           d --0--> c
       print("\nNodes adjacent to 'c': {}".format(G.adj('c')))
                                                                           d --0--> e
for simplicity nodes are strings (can
```

make them objects as an exercise)

e --0--> c

# Weighted Graph (adj list as a dict of dicts)

```
class Graph:
    # initializer, nodes are private!
   def init (self):
       self. nodes = dict()
   #returns the size of the Graph
    #accessible through len(Graph)
   def len (self):
        return len(self. nodes)
    #returns the nodes
   def V(self):
        return self. nodes.keys()
   #a generator of nodes to access all of them
    #once (not a very useful example!)
   def node iterator(self):
       for n in self. nodes.kevs():
           yield n
    #a generator of edges (as triplets (u,v,w)) to access all of them
   def edge iterator(self):
        for u in self. nodes:
           for v in self. nodes[u]:
               yield (u,v,self. nodes[u][v])
    #returns all the adjacent nodes of node
    #as a dictionary with key as the other node
    #and value the weight
   def adi(self, node):
       if node in self. nodes.keys():
           return self. nodes[node]
   #adds the node to the graph
   def insert node(self, node):
       if node not in self. nodes:
                                                                      for simplicity nodes are strings (can
           self. nodes[node] = dict()
                                                                      make them objects as an exercise)
```

```
#adds the edge startN --> endN with weight w
#that has 0 as default
def insert edge(self, startN, endN, w = 0):
    #does nothing if already in
    self.insert node(startN)
    self.insert node(endN)
    self. nodes[startN][endN] = w
#converts the graph into a string
                                                        Note:
def str (self):
    out str = "Nodes:\n" + ",".join(self. nodes)
                                                        nodes['a'] = {'b' :0, 'd' :0}
    out str +="\nEdges:\n"
    for u in self. nodes:
        for v in self. nodes[u]:
            out str +="{} --{}--> {}\n".format(u,self. nodes[u][v],v)
        if len(self. nodes[u]) == 0:
            out str +="{}\n".format(u)
    return out str
   if name == " main ":
       G = Graph()
       for u,v in [ ('a', 'b'), ('a', 'd'), ('b', 'c'),
                  ('d', 'a'), ('d', 'c'), ('d', 'e'), ('e', 'c') ]:
           G.insert edge(u,v)
       for edge in G.edge iterator():
           print("{} --{}--> {}".format(edge[0],
                                      edge[1],
                                      edge[2]))
       G.insert node('f')
       print("\nG has {} nodes:".format(len(G)))
       for node in G.node iterator():
           print("{}".format(node), end= " ")
       print("")
       print(G)
       print("Nodes adjacent to 'd': {}".format(G.adj('d')))
       print("\nNodes adjacent to 'c': {}".format(G.adj('c')))
                                          Nodes adjacent to 'd': {'a': 0, 'c': 0, 'e': 0}
```

Nodes adjacent to 'c': {}

### Iterating through nodes/edges

Equivalent ways of looping through nodes and edges

```
for node in G.V():
    #do something with the node


for u in G.V():
    #for all starting nodes u
    for v in G.adj(u):
        #for all ending nodes v
        #do something with (u,v)
```

```
for node in G.node_iterator():
    #do something with the node

for edge in G.edge_iterator():
    #do something with the edge
```

How much do these operations cost? (n nodes, m edges)

- Looping through nodes is O(n)
- Looping through edges is:
  - O(m + n) with adjacency lists and variants
  - O(n^2) with adjacency matrices




### Summary


#### Adjacency matrix

- Required space  $O(n^2)$
- To check whether u is adjacent to v requires O(1) time
- Ideal for dense graphs
- Looping through all the edges requires  $O(n^2)$

#### Adjacency lists/vectors

- Required space O(n+m)
- To check whether u is adjacent to v requires O(n)
- Ideal for sparse graphs
- Looping through all the edges requires O(n+m)





### Graph traversal

#### Problem definition


Given a graph G = (V, E) and a vertex  $r \in V$  (root), visit exactly once all the vertexes of the graph that can be reached from r

Naive idea, just iterate through the nodes and edges with:

```
for u in G.V():
    #for all starting nodes u
    for v in G.adj(u):
     #for all ending nodes v
     #do something with (u,v)
for edge in G.edge_iterator():
    #do something with the edge
```

but this does not take into account the topology of the graph and is still O(n + m)

OK in some cases, but not what we are looking for!



### Graph traversal

#### Problem definition

Given a graph G = (V, E) and a vertex  $r \in V$  (root), visit exactly once all the vertexes of the graph that can be reached from r

As in the case of trees, two possible methods:

- Breadth first search (BFS)
- Depth first search (DFS)

### Problem definition

Given a graph G = (V, E) and a vertex  $r \in V$  (root), visit exactly once all the vertexes of the graph that can be reached from r

As in the case of trees, two possible methods:

- Breadth first search (BFS)
- Depth first search (DFS)

but graphs are more complicated that trees (these are Directed Acyclic Graphs)

no matter what, beware of cycles! **Hint:** mark visited nodes



### Problem definition

Given a graph G=(V,E) and a vertex  $r\in V$  (root), visit exactly once all the vertexes of the graph that can be reached from r

### Breadth-first search (BFS)

Traverse the graph by visiting the nodes by levels: first by visiting the nodes at distance 1 from the source, then distance 2, etc.

• Application: compute the shortest paths from a single source

# BFS, goals

To visit nodes at increasing distances from the source

• Visit nodes at distance k before visiting nodes at distance k+1


Generate a breadth-first tree

 To generate a tree containing all the nodes reachable from r and such that the path between the root r and the node in the tree corresponds to a shortest path in the graph

Compute the shortest path from s to all the other reachable nodes

Distance measured as the number of edges to be traversed

### Warning. Wrong code!!!




### Warning. Wrong code!!!

```
from collections import deque()

def BFS(node):
    Q = deque()
    if node != None:
        Q.append(node)

while len(Q) > 0:
        curNode = Q.popleft()
    if curNode != None:
        print("{}".format(curNode))
        for v in G.adj(curNode):
            Q.append(v)
```




### Warning. Wrong code!!!

```
from collections import deque()

def BFS(node):
    Q = deque()
    if node != None:
        Q.append(node)

while len(Q) > 0:
        curNode = Q.popleft()
    if curNode != None:
        print("{}".format(curNode))
        for v in G.adj(curNode):
            Q.append(v)
```




### Warning. Wrong code!!!

```
from collections import deque()

def BFS(node):
    Q = deque()
    if node != None:
        Q.append(node)


while len(Q) > 0:
        curNode = Q.popleft()
    if curNode != None:
        print("{}".format(curNode))
        for v in G.adj(curNode):
            Q.append(v)
```



even though we can avoid adding elements already in the Queue, this never gets empty!

→ infinite loop!

```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
                                      enqueue
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
                                           dequeue
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




visited: {'a'}


**Q**: ['a']

DFS visit: a


```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```



```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




```
visited: {'d', 'b', 'h', 'a', 'g', 'c', 'e', 'f'}
Q: ['b', 'd', 'g', 'h'] 

DFS visit: a, c, f, e, b, d, g, h
```


```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```



```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```



```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```




	а	0	
	С	1	
	f	1	
	е	1	
	b	2	
	d	2	
<b>visited</b> : {'d', 'b', 'j', 'h', 'a', 'g', 'c', 'e', 'f'}	g	2	
$Q:[] \rightarrow DONE \longrightarrow j$	h	2	
<b>DFS visit:</b> a, c, f, e, b, d, g, h, j	j	3	

Node Dist from a

## Graph traversal: BFS tree of the graph

```
from collections import deque
class Graph:
    def BFS(self, node):
        Q = deque()
        Q.append(node)
        visited = set()
        visited.add(node)
        print("visiting: {}".format(node))
        while len(Q) > 0:
            curNode = Q.popleft()
            #do something with curNode
            for n in self.adj(curNode):
                #do something with edge (curNode, n)
                if n not in visited:
                    Q.append(n)
                    visited.add(n)
                    print("visiting: {}".format(n))
            print("visited: {}".format(visited))
            print("Q: {}".format(list(Q)))
```



This can be done by storing a pointer to parents!

# Graph traversal: BFS complexity

Complexity: O(n + m)

- every node is inserted in the queue at most once;
- · whenever a node is extracted all its edges are analyzed once and only once;
- · number of edges analyzed:

$$m = \sum_{u \in V} out\_degree(u)$$


## BFS: application. Shortest path

### Paul Erdös (1913-1996)

- Mathematician
- 1500+ papers, 500+ co-authors

### Erdös number

- Erdös has erdos = 0
- The co-authors of Erdős have erdos = 1
- If X is co-author of someone with erdos = k, but is not co-author of someone with erdos < k, then X has erdos = k + 1
- People who are not reached by this definition have  $erdos = +\infty$



Find the path between two authors:

Luca Bianco Paul Erdős


#### Luca Bianco

co-authored 11 papers with
Vincenzo Manca
co-authored 1 paper with
Henning Fernau
co-authored 1 paper with
Zsolt Tuza
co-authored 7 papers with

Paul Erdős CO distance = 4


for fun: https://www.csauthors.net/distance

```
from collections import deque
import math
class Graph:
    #computes the distance from root of all nodes
    def get distance(self, root):
        distances = dict()
        parents = dict()
        for node in self.node iterator():
                                                      Initially
            distances[node] = math.inf
                                                      all distances: +∞
           parents[node] = -1
        Q = deque()
                                                      all parents: -1
        O.append(root)
        distances[root] = 0
                                             distance root <-> root = 0
        parents[root] = root
                                             parent of root = root
        while len(0) > 0:
            curNode = Q.popleft()
            for n in self.adj(curNode):
                 if distances[n] == math.inf:
                     distances[n] = distances[curNode] + 1
                     parents[n] = curNode
                     Q.append(n)
        return (distances, parents)
```



distances is used also as 'visited' if not set, distance node: distance of parent +1

```
from collections import deque
import math
class Graph:
    #computes the distance from root of all nodes
    def get distance(self, root):
        distances = dict()
        parents = dict()
        for node in self.node iterator():
            distances[node] = math.inf
            parents[node] = -1
        Q = deque()
        0.append(root)
        distances[root] = 0
        parents[root] = root
        while len(0) > 0:
            curNode = Q.popleft()
            for n in self.adj(curNode):
                if distances[n] == math.inf:
                    distances[n] = distances[curNode] + 1
                    parents[n] = curNode
                    Q.append(n)
        return (distances, parents)
```




```
D, P = G1.get_distance('a')
print("Distances from 'a': {}".format(D))
print("All parents: {}".format(P))
```

Distances from 'a': {'a': 0, 'c': 1, 'f': 1, 'e': 1, 'b': 2, 'd': 2, 'g': 2, 'j': 3, 'h': 2, 'k': inf, 'l': inf}

All parents: {'a': 'a', 'c': 'a', 'f: 'a', 'e': 'a', 'b': 'c', 'd': 'c', 'g': 'f', 'j': 'g', 'h': 'e', 'k': -1. 'l': -1}

```
from collections import deque
import math
class Graph:
    #computes the distance from root of all nodes
    def get distance(self, root):
        distances = dict()
        parents = dict()
        for node in self.node iterator():
            distances[node] = math.inf
            parents[node] = -1
        Q = deque()
        0.append(root)
        distances[root] = 0
        parents[root] = root
        while len(0) > 0:
            curNode = Q.popleft()
            for n in self.adj(curNode):
                if distances[n] == math.inf:
                    distances[n] = distances[curNode] + 1
                    parents[n] = curNode
                    Q.append(n)
        return (distances, parents)
```

Note: this is the BFS spanning tree starting from root



```
print("All parents: {}".format(P))
Distances from 'b': {'a': 4, 'c': 5, 'f': 1, 'e': 5, 'b': 0, 'd': 4, 'g': 2, 'j': 3, 'h': 6. 'k': inf. 'l': inf}
```


All parents: {'a': 'j', 'c': 'a', 'f': 'b', 'e': 'a', 'b': 'b', 'd': 'j', 'g': 'f', 'j': 'g', 'h':

'e', 'k': -1, 'l': -1}

printing the shortest path...

```
def printPath(startN, endN, parents):
    outPath = str(endN)
    #this assumes all the nodes are in the
    #parents structure
    curN = endN
    while curN != startN and curN != -1:
        curN = parents[curN]
        outPath = str(curN) + " --> " + outPath
    if str(curN) != startN:
        return "Not available"

return outPath
```



printing the shortest path...

```
def printPath(startN, endN, parents):
    outPath = str(endN)
    #this assumes all the nodes are in the
    #parents structure
    curN = endN
    while curN != startN and curN != -1:
        curN = parents[curN]
        outPath = str(curN) + " --> " + outPath
    if str(curN) != startN:
        return "Not available"
```

root or nodes not reached == -1

```
All parents: {'a': 'a', 'c': 'a', 'f': 'a', 'e': 'a', 'b': 'c', 'd': 'c', 'g': 'f', 'j': 'g', 'h': 'e', 'k': -1, 'l': -1}
```

```
D, P = G2.get_distance('a')
print("Path from 'a' to 'j': {}".format(printPath('a','j', P)))
print("Path from 'a' to 'k': {}".format(printPath('a','k', P)))
```


Path from 'a' to 'j': a --> f --> g --> j Path from 'a' to 'k': Not available

### Exercise

What if the shortest path between (a,j) is  $j \rightarrow a$ ???

```
def get_shortest_path(self, start, end):
    #your courtesy
    #returns [start, node,.., end]
    #if shortest path is start --> node --> ... --> end
    pass
```

Shortest path from 'a' to 'j': j --> a



printing the shortest path...

All parents: {'a': 'j', 'c': 'a', 'f': 'b', 'e': 'a', 'b': 'b',

'd': 'j', 'g': 'f', 'j': 'g', 'h': 'e', 'k': -1, 'l': -1}

```
def printPath(startN, endN, parents):
    outPath = str(endN)
    #this assumes all the nodes are in the
    #parents structure
    curN = endN
    while curN != startN and curN != -1:
        curN = parents[curN]
        outPath = str(curN) + " --> " + outPath
    if str(curN) != startN:
        return "Not available"
    return outPath
```

root or nodes not reached == -1

```
D, P = G2.get_distance('b')
print("Distances from 'b': {}".format(D))
print("All parents: {}".format(P))
print("Path from 'b' to 'c': {}".format(printPath('b','c', P)))
```

Path from 'b' to 'c': b --> f --> g --> j --> a --> c



### Depth-first search

- Often a subroutine of the solution of other problems
- Used to explore the entire graph, not just the nodes reachable from a single source (unlike BFS)

### Output

- Instead of a tree, a depth-first forest  $G_f = (V, E_f)$
- Contains a collection of depth-first trees


### Data structure

- Explicit Stack
- Or implicit stack, through recursion

### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



### Idea:

Visit the first node (mark it as visited)...

... then recursively all its children nodes (follow one path until it ends)



Execution stack:


Visited: {1}

Visiting order: [1]

### Idea:

Visit the first node (mark it as visited)...

... then recursively all its children nodes (follow one path until it ends)



Execution stack:

Visited: {1,2}


Visiting order: [1,2]

DFS(2) DFS(1)

### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3}


Visiting order: [1,2,3]



### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



Execution stack:

Visited: {1,2,3,4}


Visiting order: [1,2,3,4]



### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3,4}


Visiting order: [1,2,3,4]



### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



Execution stack:

Visited: {1,2,3,4,6}


Visiting order: [1,2,3,4,6]



### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3,4,6}


Visiting order: [1,2,3,4,6]



#### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3,4,6}


Visiting order: [1,2,3,4,6]



#### Idea:

Visit the first node (mark it as visited)...

... then recursively all its children nodes (follow one path until it ends)



Execution stack:

Visited: {1,2,3,4,6,5}


Visiting order: [1,2,3,4,6,5]

DFS(5)
DFS(2)
DFS(1)

#### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3,4,6,5}


Visiting order: [1,2,3,4,6,5]



#### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 

Visited: {1,2,3,4,6,5}

Visiting order: [1,2,3,4,6,5]



#### Idea:

Visit the first node (mark it as visited)...

... then recursively all its children nodes (follow one path until it ends)

V 1 2 V

Visited: {1,2,3,4,6,5}

Visiting order: [1,2,3,4,6,5]


DFS(1)

call on 1 complete **DONE!** 

#### Idea:

Visit the first node (mark it as visited)...


... then recursively all its children nodes (follow one path until it ends)



**Execution stack:** 


Visited: {1,2,3,4,6,5,7}

Visiting order: [1,2,3,4,6,5,7]



# Recursive Depth First Search (DFS)

```
def DFS(self, node, visited):
    visited.add(node)
    ## visit node (preorder)
    print("visiting: {}".format(node))
    for u in self.adj(node):
        if u not in visited:
            self.DFS(u, visited)
    ##visit node (post-order)
```



visiting: a visiting: c visiting: b visiting: f visiting: g visiting: i


DFS from a:

visiting: d visiting: e

visiting: h

# Recursive Depth First Search (DFS)

```
def DFS(self, node, visited):
    visited.add(node)
    ## visit node (preorder)
    print("visiting: {}".format(node))
    for u in self.adj(node):
        if u not in visited:
            self.DFS(u, visited)
    ##visit node (post-order)
```




DFS from b: visiting: b visiting: f visiting: g visiting: j visiting: a visiting: c visiting: d visiting: e visiting: h


# Recursive Depth First Search (DFS)

- To execute a DFS based on recursive calls may be risky in very large graphs
- It is possible that the reached depth is larger than the size of the language stack
- In such cases, you should prefer a BFS or a DFS based on explicit stack

#### Stack size in Java


Platform	Default
Windows IA32	64 KB
Linux IA32	128 KB
Windows x86_64	128 KB
Linux x86_64	256 KB
Windows IA64	320 KB
Linux IA64	1024 KB (1 MB)
Solaris Sparc	512 KB






# Iterative Depth First Search (DFS)

- A node can be inserted in the stack several times
- The check if a node has been already visited is done at the extraction, not when inserting
- Complexity O(m+n)
  - $\bullet$  O(m) edge visits
  - $\bullet$  O(m) insert, remove
  - $\circ$  O(n) node visits



DFS from a: DFS from b: visiting a visiting b visiting e visiting f visiting h visiting g visiting i visiting j visiting d visiting d visiting b visiting a visiting f visiting e visiting g visiting h visiting c visiting c




Note: post-order is more complicated. We need to visit all the nodes under a node N before visiting it. Add a tag to the node in the stack (discovery, finished)

## Connected graphs and components

#### Definitions

- An undirected graph G = (V, E) is connected iff every node is reachable from every other node
- An undirected graph G' = (V', E') is a connected component iff G' is a connected and maximal subgraph of G
- G' is a subgraph of G ( $G' \subseteq G$ ) iff  $V' \subseteq V$  and  $E' \subseteq E$
- G' is maximal iff there is no other graph G'' of G such that G'' is connected and larger than G' (i.e.  $G' \subseteq G'' \subseteq G$ )



These are not connected components as they are not maximal!

#### Note:

We start with **undirected** graphs (otherwise we have strongly connected components)

#### Motivations

- Several algorithms that operate on graphs start by decomposing the graph into disconnected components
- The algorithm is then executed in each of the components
- The results are then composed back together

#### Definitions

- Connected components (CC), defined on undirected graphs
- Strongly connected components (SCC), defined on directed graphs


## Reachability


#### Reachable

A node v is reachable from a node u if there is at least one path from u to v.

Node d is reachable from node a and vice-versa

Node d is reachable from node A, but not vice-versa





## Application of DFS

#### Problem


- To check whether an undirected graph is connected or not
- To identify its connected components

#### Solutions

- A graph is connected if, at the end of the DFS, all nodes have been marked
- If not, a single pass is not sufficient; the traversal must start again from an unmarked node, identifying a new component of the graph

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)


def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```



- ids is a list containing the component identifiers (it is also used as 'visited' structure)
- ids[u] is the identifier of the connected component to which u belongs

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)


def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```



```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```




```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'i': 2, 'j': 3, 'k': 3}
```

Note: for simplicity of the slides, let's assume that node\_iterator retrieves nodes in alphabetical order. This is irrelevant for the algorithm

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```




```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
    for u in G.node iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
                                                 ids is != 0
            ccdfs(G, counter, v, ids)
```

```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```




```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
    for u in G.node iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
                                                 ids is != 0
            ccdfs(G, counter, v, ids)
```

```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```



```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```


```
def cc(G):
    ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
    for u in G.node iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
                                                 ids is != 0
            ccdfs(G, counter, v, ids)
```

```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
    for u in G.node iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
                                                 ids is != 0
            ccdfs(G, counter, v, ids)
```

```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'i': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
   ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
   for u in G.node iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
                                                call on d
    return (counter, ids)
                                                completed
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```




```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```

call on c,b,a
completed in the
order
The algorithm
tries to restart
from b,c,d but
nodes are
visited...




some steps later... component 1 is done, component 2 starts...

```
N, con_comp = cc(myG)
print("{} connected components:\n{}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'i': 2, 'j': 3, 'k': 3}
```

```
def cc(G):
    ids = dict()
    for node in G.node_iterator():
        ids[node] = 0
    counter = 0
    for u in G.node_iterator():
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)

def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```




```
N, con_comp = cc(myG)
print("{{}} connected components:\n{{}}".format(N,con_comp))
3 connected components:
{'a': 1, 'b': 1, 'c': 1, 'd': 1, 'e': 2, 'g': 2, 'f': 2, 'h': 2, 'j': 3, 'k': 3}
```

#### **Definitions**

#### Cycle

In a undirected graph G = (V, E), a cycle C of length k > 2 is a sequence of nodes  $u_0, u_1, \ldots, u_k$  such that  $(u_i, u_{i+1} \in E)$  for  $0 \le i \le k-1$  and  $u_0 = u_k$ .



k > 2 is meant to exclude trivial cycles composed by edge pairs (u, v) and (v, u), which are everywhere in undirected graphs




Ignored, trivial cycle

#### **Definitions**

#### Acyclic graph

A undirected graph that does not contain cycles, is called acyclic.




#### Problem

Given a undirected graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.


How would you solve the problem?

**Idea:** perform a DFS visit, if it finds a node already visited then there is a cycle

```
def has cycleRec(G, u, from node, visited):
    visited.add(u)
    for v in G.adj(u):
        if v != from node: #to avoid trivial cycles
            if v in visited:
                return True
            else:
                #continue with the visit to check
                #if there are cycles
                if has cycleRec(G,v, u, visited):
                    return True
    return False
def has cycle(G):
    visited = set()
    #I am starting the visit from all nodes
    for node in G.node iterator():
        if node not in visited:
            if has cycleRec(G, node, None, visited):
                return True
    return False
```




```
def has cycleRec(G, u, from node, visited):
    visited.add(u)
    for v in G.adi(u):
                                     the node I am coming from
        if v != from node: #to avoid trivial cycles
            if v in visited:
                return True
            else:
                #continue with the visit to check
                #if there are cycles
                if has cycleRec(G,v, u, visited):
                    return True
    return False
def has cycle(G):
    visited = set()
    #I am starting the visit from all nodes
    for node in G.node iterator():
        if node not in visited:
            if has cycleRec(G, node, None, visited):
                return True
    return False
```




True

```
def has cycleRec(G, u, from node, visited):
    visited.add(u)
    for v in G.adi(u):
        if v != from node: #to avoid trivial cycles
            if v in visited:
                return True
            else:
                #continue with the visit to check
                #if there are cycles
                if has cycleRec(G,v, u, visited):
                    return True
    return False
def has cycle(G):
    visited = set()
    #I am starting the visit from all nodes
    for node in G.node iterator():
        if node not in visited:
            if has cycleRec(G, node, None, visited):
                return True
    return False
```



True


```
def has cycleRec(G, u, from node, visited):
    visited.add(u)
    for v in G.adi(u):
        if v != from node: #to avoid trivial cycles
            if v in visited:
                return True
            else:
                #continue with the visit to check
                #if there are cycles
                if has cycleRec(G,v, u, visited):
                    return True
    return False
def has cycle(G):
    visited = set()
    #I am starting the visit from all nodes
    for node in G.node iterator():
        if node not in visited:
            if has cycleRec(G, node, None, visited):
                return True
    return False
```



False

#### Cycle

In a directed graph G = (V, E), a cycle C of length  $k \geq 2$  is a sequence of nodes  $u_0, u_1, \ldots, u_k$  such that  $(u_i, u_{i+1} \in E)$  for  $0 \leq i \leq k-1$  and  $u_0 = u_k$ .



Example: a, b, c, e, d, a is a cycle of length 5


Note: a cycle is called **simple** if all its nodes are distinct (excluding the first and the last ones)

Ex.  $a \rightarrow b \rightarrow c \rightarrow e \rightarrow d \rightarrow c \rightarrow e \rightarrow d \rightarrow a$  is not a simple cycle

# Directed acyclic graph (DAG)


#### DAG

A directed acyclic graph (DAG) is a directed graph that does not contain cycles.



#### Cyclic graph

A graph containing a cycle is called cyclic




# Cycle detection

#### Problem

Given a directed graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.

#### Problem

Can you draw a directed graph such that the algorithm we have seen before does not return the correct answer?




#### Problem

Given a directed graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.

#### Problem

Can you draw a directed graph such that the algorithm we have seen before does not return the correct answer?




#### Problem

Given a directed graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.

#### Problem

Can you draw a directed graph such that the algorithm we have seen before does not return the correct answer?



visiting a visiting b


visited: {a,b}

#### Problem

Given a directed graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.

#### Problem

Can you draw a directed graph such that the algorithm we have seen before does not return the correct answer?




visiting a visiting b visiting c visited: {a,b,c}

#### Problem

Given a directed graph G, write an algorithm that returns **true** if G contains a cycle, **false** otherwise.

#### Problem

Can you draw a directed graph such that the algorithm we have seen before does not return the correct answer?



back from a to c
→ cycle detected!
WRONG ANSWER


visiting a visiting b visiting c visited: {a,b,**c**}


### **DFS Spanning Tree**

Whenever an edge connecting a marked node to an unmarked one, it is inserted into a tree T

Every edge (u, v) not included in T belongs to one of three categories


- edges part of the DFS visit (and also in the DFS Spanning tree)
- (u, v) is a forward edge iff v is a descendent of u in T
- (u, v) is a back edge iff v is an ancestor of u in T
- Otherwise, (u, v) is a cross edge  $\dots$






```
clock = 0
                                                                      dt = dict()
def dfs schema(G, node, dt, ft):
                                                                      df = dict()
    #clock: visit time (global variable)
                                                                      for node in G.node iterator():
    #dt: discovery time
                                                                          dt[node] = 0
    #ft: finish time
                                                                          df[node] = 0
    global clock
                            clock is increased by one at
                            each operation
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
                                                                  perform a DFS visit
    for v in G.adj(node):
                                                                  if dt[v] == 0 \Rightarrow equals to v
        if dt[v] == 0:
            #DFS VISIT edge
                                                                  NOT visited
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G,v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node.v))
    clock += 1
                                   increase the time and set the finish time of node
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
                                                                     s,e = dfs schema(G, 'a', dt, df)
    return dt.ft
                                                                     s,e = dfs schema(G,'e', dt, df)
                                                                     print("Discovery times:{}".format(s))
                                                                     print("Finish times: {}".format(e))
```


DFS edge Forward edge Back edge Cross edge






```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node.v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```

DFS edge Forward edge Back edge Cross edge




Start time a: 1



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```


```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```



```
Start time a: 1


DFS edge: a --> b
```



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node.v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```


DFS edge Forward edge Back edge Cross edge



Start time a: 1

DFS edge: a --> b

Start time b: 2



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```


```
DFS edge
Forward edge
Back edge
Cross edge
```

Start time a: 1

DFS edge: a --> b

Start time b: 2


DFS edge: b --> c



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```




```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c


Start time c: 3
```



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```



```
Start time a: 1


DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3


Finish time c: 4
```




```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node.v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt.ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```




```
Start time a: 1
DFS edge: a --> b
Start time b: 2
DFS edge: b --> c
Start time c: 3
Finish time c: 4
Finish time b: 5
```



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```



```
Start time a: 1

DFS edge: a --> b

Start time b: 2


DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5


Forward edge: a--> c
```



```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node.v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
DFS edge
Forward edge
Back edge
Cross edge
```



```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d
```

```
dt[v] = 0
[1,]
a
b
[2,5]
[3,4]
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d

Start time d: 6
```

```
DFS edge
Forward edge
Back edge
Cross edge
                        [6,]
                [2, 5]
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1
DFS edge: a --> b
Start time b: 2
DFS edge: b --> c
Start time c: 3
Finish time c: 4
Finish time b: 5
Forward edge: a--> c
DFS edge: a --> d
Start time d: 6
Back edge: d--> a
```

```
DFS edge
Forward edge
Back edge
Cross edge
                       [6,
     dt[u] > dt[v], ft[v] = 0
                [2, 5]
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{{}}".format(s))
print("Finish times: {{}}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node.v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d

Start time d: 6

Back edge: d--> a

Cross edge: d --> b
```

```
DFS edge
Forward edge
Back edge
Cross edge
                      [6,
                *otherwise
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{{}}".format(s))
print("Finish times: {{}}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d

Start time d: 6

Back edge: d--> a

Cross edge: d --> b

Finish time d: 7
```

```
DFS edge
Forward edge
Back edge
Cross edge
                        [6, 7]
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G, v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d

Start time d: 6

Back edge: d--> a

Cross edge: d --> b

Finish time d: 7
```

Finish time a: 8

```
DFS edge
Forward edge
Back edge
Cross edge
                       [6, 7]
```

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G,v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1

DFS edge: a --> b

Start time b: 2

DFS edge: b --> c

Start time c: 3

Finish time c: 4

Finish time b: 5

Forward edge: a--> c

DFS edge: a --> d

Start time d: 6

Back edge: d--> a

Cross edge: d --> b

Finish time d: 7

Finish time a: 8

Start time e: 9
```

```
DFS edge
Forward edge
Back edge
Cross edge
                        [6, 7]
                 [2, 5]
```

[3, 4]

|9,

```
s,e = dfs_schema(G,'a', dt, df)
s,e = dfs_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node.v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G,v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```

```
Start time a: 1
         DFS edge: a --> b
Start time b: 2
         DFS edge: b --> c
Start time c: 3
Finish time c: 4
Finish time b: 5
         Forward edge: a--> c
         DFS edge: a --> d
Start time d: 6
         Back edge: d--> a
         Cross edge: d --> b
Finish time d: 7
Finish time a: 8
Start time e: 9
```

Cross edge: e --> c

```
Forward edge
Back edge
Cross edge
                         [6, 7]
```

otherwi

9,


[3, 4]

**DFS** edge

```
s,e = dfs schema(G, 'a', dt, df)
s,e = dfs schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))
```

```
clock = 0
def dfs schema(G, node, dt, ft):
    #clock: visit time (global variable)
    #dt: discovery time
    #ft: finish time
    global clock
    clock += 1
    dt[node] = clock
    print("Start time {}: {}".format(node, clock))
    for v in G.adj(node):
        if dt[v] == 0:
            #DFS VISIT edge
            #visit the edge (node, v)
            print("\tDFS edge: {} --> {}".format(node, v))
            dfs schema(G,v, dt, ft)
        elif dt[node] > dt[v] and ft[v] == 0:
            #BACK EDGE
            #visit the back edge (node, v)
            print("\tBack edge: {}--> {}".format(node,v))
        elif dt[node] < dt[v] and ft[v] != 0:</pre>
            #FORWARD EDGE
            #visit the forward edge (node, v)
            print("\tForward edge: {}--> {}".format(node,v))
        else:
            #CROSS EDGE
            print("\tCross edge: {} --> {}".format(node,v))
    clock += 1
    ft[node] = clock
    print("Finish time {}: {}".format(node,clock))
    return dt, ft
```


DFS edge Forward edge Back edge Cross edge



```
Start time a: 1
         DFS edge: a --> b
Start time b: 2
         DFS edge: b --> c
Start time c: 3
Finish time c: 4
Finish time b: 5
         Forward edge: a--> c
         DFS edge: a --> d
Start time d: 6
         Back edge: d--> a
         Cross edge: d --> b
Finish time d: 7
Finish time a: 8
Start time e: 9
         Cross edge: e --> c
Finish time e: 10
Discovery times:{'a': 1, 'b': 2, 'c': 3, 'd': 6, 'e': 9}
Finish times: {'a': 8, 'b': 5, 'c': 4, 'd': 7, 'e': 10}
```

s,e = dfs schema(G, 'a', dt, df)

s,e = dfs\_schema(G,'e', dt, df)
print("Discovery times:{}".format(s))
print("Finish times: {}".format(e))



Why are we classifying edges?

We can prove properties on the type of edges and use these properties to build better algorithms

#### Theorem


In each DFS visit of a graph G=(V,E), for each pair of nodes  $u,v\in V$ , only one of the following conditions is true:


- The intervals [dt[u], ft[u]] e [dt[v], ft[v]] are non-overlapping; u, v are not descendant of each other in the DF forest
- Interval [dt[u], ft[u]] is completely contained in [dt[v], ft[v]]; u is descendant of v in a DF tree
- Interval [dt[v], ft[v]] is completely contained in [dt[u], ft[u]]; v is descendant of u in a DF tree

#### NOTE in the DFS visit:

[1,8] completely contains [2,5] → B descends from A [1,8] completely contains [3,4] → C descends from A [9,10] does not overlap [2,5], [6,7] → E-B E-D are not descendans

Intervals describe the relationship between nodes






#### Theorem


A graph G contains a cycle if a back edge is found when a DFS is performed on G.

### Informal proof

- if: If there is a cycle, let u be the first node of it that is visited. Given that u belongs to the cycle, there is an edge (v, u) in the cycle. Given that v belongs to the cycle, there is a path from u to v. So (v, u) is a back edge.
- only if: if there is a back edge (u, v), where v is an ancestor of u, then there is a path from v to u and an edge from u to v, thus there is a cycle.

DFS edge Forward edge Back edge Cross edge






#### Theorem


A graph G contains a cycle if a back edge is found when a DFS is performed on G.

### Informal proof

- if: If there is a cycle, let u be the first node of it that is visited. Given that u belongs to the cycle, there is an edge (v, u) in the cycle. Given that v belongs to the cycle, there is a path from u to v. So (v, u) is a back edge.
- only if: if there is a back edge (u, v), where v is an ancestor of u, then there is a path from v to u and an edge from u to v, thus there is a cycle.

DFS edge Forward edge Back edge Cross edge






#### Theorem

A graph G contains a cycle if a back edge is found when a DFS is performed on G.


#### Informal proof

- if: If there is a cycle, let u be the first node of it that is visited. Given that u belongs to the cycle, there is an edge (v, u) in the cycle. Given that v belongs to the cycle, there is a path from u to v. So (u, v) is a back edge.
- only if: if there is a back edge (u, v), where v is an ancestor of u, then there is a path from v to u and an edge from u to v, thus there is a cycle.

DFS edge Forward edge Back edge Cross edge



NO Cycle!



Tree edge dt[v] == 0

Back edge: dt[u] > dt[v] and ft[v] = 0

Forward edge: dt[u] < dt[v] and  $ft[v] \neq 0$ 

Cross edge: otherwise


#### Theorem

A graph G contains a cycle if a back edge is found when a DFS is performed on G.


#### Informal proof

- if: If there is a cycle, let u be the first node of it that is visited. Given that u belongs to the cycle, there is an edge (v, u) in the cycle. Given that v belongs to the cycle, there is a path from u to v. So (u, v) is a back edge.
- only if: if there is a back edge (u, v), where v is an ancestor of u, then there is a path from v to u and an edge from u to v, thus there is a cycle.

DFS edge Forward edge Back edge Cross edge



### Cycle!




Tree edge dt[v] == 0

Back edge: dt[u] > dt[v] and ft[v] = 0Forward edge: dt[u] < dt[v] and  $ft[v] \neq 0$ 

Cross edge: otherwise


# Cycle detection: the code

```
DFS edge
Forward edge
Back edge
Cross edge
```




```
def detect cycle(G):
    dt = dict()
    ft = dict()
    global clock
    def has cycle(G, node, dt, ft):
        #clock: visit time (global variable)
        #dt: discovery time
        #ft: finish time
        global clock
        clock += 1
        dt[node] = clock
        for v in G.adi(node):
            if dt[v] == 0:
                #DFS VISIT edge
                if has cycle(G,v, dt, ft):
                    return True
            elif dt[node] > dt[v] and ft[v] == 0:
                #BACK EDGE
                #CYCLE FOUND!!!!
                print("Back edge: {} --> {}".format(node,v))
                return True
            ## Note we are not interested
            ## in forward and cross edges
        clock += 1
        ft[node] = clock
        return False
    for node in G.node iterator():
        dt[node] = 0
        ft[node] = 0
    clock = 1
    for u in G.node iterator():
        if ft[u] == 0:
            if has cycle(G,u, dt, ft):
                return True
    return False
```

simplified version of the code seen before. We just care about forward and back edges



Comment on edge classification

**DFS** edge Forward edge Back edge Cross edge




Tree edge dt[v] == 0

Back edge: dt[u] > dt[v] and ft[v] = 0

Forward edge: dt[u] < dt[v] and  $ft[v] \neq 0$ 


Cross edge: otherwise



- if dt[v] == 0, it is the first time we see v in the DFS search. DFS Tree edge!
- [Path: v→ X → u]. Back edge!
- edge! [Path:  $u \rightarrow Y \rightarrow v$ ]

Comment on edge classification

**DFS** edge Forward edge Back edge Cross edge




Tree edge dt[v] == 0

Back edge: dt[u] > dt[v] and ft[v] = 0

Forward edge: dt[u] < dt[v] and  $ft[v] \neq 0$ 


Cross edge: otherwise



- if dt[v] == 0, it is the first time we see v in the DFS search. DFS Tree edge!
- if dt[u] > dt[v] the DFS search found u after v and since the DFS visit started from v is not complete (ft[v] = 0), v is a descendant of u. [Path: v→ X → u]. Back edge!
- edge! [Path:  $u \rightarrow Y \rightarrow v$ ]

Comment on edge classification

**DFS** edge Forward edge Back edge Cross edge




Tree edge dt[v] == 0

Back edge: dt[u] > dt[v] and ft[v] = 0

Forward edge: dt[u] < dt[v] and  $ft[v] \neq 0$ 

Cross edge: otherwise




- if dt[v] == 0, it is the first time we see v in the DFS search. DFS Tree edge!
- if dt[u] > dt[v] the DFS search found u after v and since the DFS visit started from v is not complete (ft[v] = 0), v is a descendant of u. [Path: v→ X → u]. Back edge!
- if dt[u] < dt[v] the DFS search found v after u, therefore v descends from u. Since the visit of v is complete (ft[v] = 0) this is a Forward edge! [Path:  $u \rightarrow Y \rightarrow v$ ]


### Definition

Given a DAG G, a topological sort of G is a linear ordering of its nodes such that if  $(u, v) \in E$ , then u appears before v in the ordering

#### Notes:

- There could be several topological sorts
- If there is a cycle, no topological sort is possible






We can think at these DAGs as dependency graphs. If we have edge x-->y activity x has to be completed before y starts.

**Note**: Edges always from left to right: correct order!

### Problem

Write an algorithm that takes a DAG G as input and returns a topological sort of G as output.

How would you solve this problem?




### Problem

Write an algorithm that takes a DAG G as input and returns a topological sort of G as output.

How would you solve this problem?


#### Naive solution

- $\bullet$  Find a node u with no incoming edges
- $\bullet$  Append u to a list; remove u, together with all its edges
- Repeat the procedure until all nodes have been removed



#### Naive solution

- $\bullet$  Find a node u with no incoming edges
- $\bullet$  Append u to a list; remove u, together with all its edges
- Repeat the procedure until all nodes have been removed



Note: we are destroying the graph!!! We could make a copy of the graph first, but this is not a great solution...

Picking 2 or 3 is equivalent (i.e. originates equivalent topological orderings)

## Topological sorting

#### Algorithm


- Execute a DFS in which the "visit" operation consists of adding the node at the head of a list "at finish time" (post-order)
- Return the list of nodes obtained in this way

#### Output


• The sequence of nodes, sorted by decreasing finish time

### Why does it work?


- When a node is "finished", all its descendants have been discovered and added to the list.
- By adding the node in front of the list, nodes are sorted correctly
- We use a stack instead




 $\mathtt{Stack} \; = \; \{ \; \; \}$ 




Stack = { }





 $Stack = { } { }$ 





Stack =  $\{e\}$ 














Stack = { d, c, e }




Stack =  $\{b, d, c, e\}$ 



Stack =  $\{a, b, d, c, e\}$ 




Stack = { a, b, d, c, e }



for v in G.adj(node):
 if dt[v] == 0:

Stack = { }


What happens if nodes are chosen in a different order in the DFS visit?



Stack = 
$$\{a, b, d, c, e\}$$

#### NOTE:

The advantage of this algorithm is that we do not need to start from (and therefore find) the node with in-degree = 0



Stack = 
$$\{a, b, d, c, e\}$$
  
Stack =  $\{a, c, e, b, d\}$ 

What happens if nodes are chosen in a different order in the DFS visit?

### Topological sorting: the code


```
def top_sort(G):
    S = Stack()
    visited = set()
    for u in G.node_iterator():
        if u not in visited:
            top_sortRec(G, u, visited, S)
    return S

def top_sortRec(G, u, visited, S):
    visited.add(u)
    for v in G.adj(u):
        if v not in visited:
            top_sortRec(G,v,visited,S)
    S.push(u)
```

Stack(a | b | d | c | e)

#### Note:

We do not need to compute discovery/finish time




### Topological sorting: the code

```
def top sort(G):
    S = Stack()
    visited = set()
    for u in G.node iterator():
        if u not in visited:
            top sortRec(G, u, visited, S)
    return S
def top sortRec(G, u, visited, S):
    visited.add(u)
    for v in G.adj(u):
        if v not in visited:
            top sortRec(G, v, visited, S)
    S.push(u)
                          insert the node in the stack "at finish time"
```

#### Note:

We do not need to compute discovery/finish time



```
G = Graph()
G.insert edge(u,v)
print(top sort(G))
```

Stack(a | c | e | b | d)

#### Note:

This algorithm has a lot of applications (es. compilation dependencies in makefile)

## Strongly connected graphs and components


#### Definitions

- A directed graph G = (V, E) is strongly connected iff every node is reachable from every other node
- A directed graph G' = (V', E') is a strongly connected component iff G' is a connected and maximal subgraph of G
- G' is a subgraph of G ( $G' \subseteq G$ ) iff  $V' \subseteq V$  and  $E' \subseteq E$
- G' is maximal iff there is not other graph G'' of G such that G'' is strongly connected and larger than G' (i.e.  $G' \subseteq G'' \subseteq G$ )

## Strongly connected graphs and components

### Question


• What are the strongly connected components of this graph?



### Strongly connected graphs and components

### Question

• What are the strongly connected components of this graph?




#### Note:


This graph is not strongly connected (ex. I cannot reach a from c nor from b) but, there are 3 strongly connected components...

# Naive (and wrong!) solution


- Just apply the CC algorithm to directed graphs
- The result depends on the starting node




DFS visit starting from C, then from B, then from A



DFS visit starting from B, then from A. **Wrong** result!



In a nutshell: perform a DSF visit, assign to each visit the same component number until all nodes visited



DFS visit starting from A. **Wrong result!** 

## Strongly connected components algorithm

### Kosaraju Algorithm (1978)

- Perform a DFS of G
- Compute the transpose graph  $G_T$
- Run the connected component algorithm on  $G_T$ , examining the nodes in decreasing finish time w.r.t. the first visit
- Returns the identifiers of the nodes

```
def scc(G):
    #performs a topological sort of G
S = top_sort(G)
    #Transposes G
GT = transpose(G)
    #modified version of CC algo that
    #gets starting nodes off the stack S
counter, ids = cc(GT,S)
```


## Topological sorting of general graphs

By applying the topological sort algorithm on a general graph, we are sure that:

• if an edge (u, v) does not belong to a cycle, than u appears before v in the sorted sequence

We use thus topsort() to obtain nodes in decreasing finish time.





**NOTE:** we might have cycles, so this does not necessarily mean that we obtain a topological sort!!!

But the important thing is that all the nodes before the cycle(s) and after the cycles(s) are put in the correct topological sort (at least for some elements!).


## Topological sorting of general graphs

By applying the topological sort algorithm on a general graph, we are sure that:

• if an edge (u, v) does not belong to a cycle, than u appears before v in the sorted sequence

We use thus topsort() to obtain nodes in decreasing finish time.





Stack = {a, b, f,g,c,e,d}

g comes after f, in the next visit with the transpose g will not be reachable from f unlike c,e,d

**NOTE:** we might have cycles, so this does not necessarily mean that we obtain a topological sort!!!

But the important thing is that all the nodes before the cycle(s) and after the cycles(s) are put in the correct topological sort (at least for some elements!).

### Transpose of a graph


Given a graph G = (V, E), the transpose graph  $G_T = (V, E_T)$  has the same nodes, while edges are directed in the opposite way:

$$E_T = \{(u, v) \mid (v, u) \in E\}$$

```
def transpose(G):
    tmpG = Graph()
    for u in G.node_iterator():
        for v in G.adj(u):
            tmpG.insert_edge(v,u)
    return tmpG
```

#### Note:

In my definition of insert\_edge the method adds the nodes to the Graph before adding the edge



## Transpose of a graph

Given a graph G = (V, E), the transpose graph  $G_T = (V, E_T)$  has the same nodes, while edges are directed in the opposite way:

$$E_T = \{(u, v) \mid (v, u) \in E\}$$

```
def transpose(G):
    tmpG = Graph()
    for u in G.node_iterator():
        for v in G.adj(u):
            tmpG.insert_edge(v,u)
    return tmpG
```

#### Computational cost: O(m+n)


- $\circ$  O(n) nodes added
- O(m) edges added
- Each add operation costs O(1)


### Modified connected components

Instead of examining the nodes in an arbitrary order, this version of cc(G,S) examines them in the order in which they are stored in the stack S.


```
now we have the stack in input
def cc(G, S):
    ids = dict()
    for node in G.node iterator():
        ids[node] = 0
    counter = 0
    while len(S) > 0:
                                  instead of looping through all nodes in a random way we get
        u = S.pop()
                                  them following the order of the stack
        if ids[u] == 0:
            counter += 1
            ccdfs(G, counter, u, ids)
    return (counter, ids)
                                                            Computational cost: O(m+n)
def ccdfs(G, counter, u, ids):
    ids[u] = counter
    for v in G.adj(u):
                                                          Each phase requires O(m+n)
        if ids[v] == 0:
            ccdfs(G, counter, v, ids)
```


## Putting it all together





Stack = { a, b, f, c, e, d }






I pull out nodes from the stack to start cc from each (if their component id ==0)

#### **Output:**

Components: 3

Ids:{'b': 2, 'a': 1, 'd': 3, 'c': 3, 'e': 3, 'f': 3}

### Exercise



#### Output:

Components: 4

lds:{'b': 2, 'a': 1, 'd': 3, 'c': 3, 'e': 3, 'f': 3, 'g': 4}


Component Graph 
$$V_c = (V_c, E_c)$$
 G = (V, E)

- $V_c = \{C_1, C_2, \dots, C_k\}$ , where  $C_i$  is the *i*-th SCC of G
- $E_c = \{(C_u, C_v) | \exists (u, v) \in E \land u \in C_u \land v \in C_v\}$

#### Questions

- What is the relationship between the SCCs of G and the SCCs of  $G_T$ ?  $SCC(G) = [SCC(G_T)]_T$
- Is the component graph acyclic?


**YES.** Otherwise any cycle would be a bigger SCC.




Discovery time and finish for the component graph

$$dt(C) = \min\{dt(u)|u \in C\}$$
$$ft(C) = \max\{ft(u)|u \in C\}$$


These discovery/finish times correspond to the discovery/finish time of the first node to be visited in component C






#### Theorem

Let C and C' be two distinct SCCs in the directed graph G = (V, E). If there is an edge  $(C, C') \in E_c$ , then f(C) > f(C').



If I start the visit from a node  $\bf N$  in C then I visit all the nodes of C' first and then I complete the visit on  $\bf N$  (hence finish time of  $\bf N$  is higher)

If I start the visit from a node  $\mathbf{K}$  in  $\mathbf{C}$ ' then when the nodes of the compoent are all finished I will have to restart from a node in the component  $\mathbf{C}$  (hence finish time of  $\mathbf{K}$  will be higher)



### Corollary

Let  $C_u$  and  $C_v$  be two distinct SCCs in the directed graph G = (V, E).

If there is an edge  $(u, v) \in E_t$  with  $u \in C_u$  and  $v \in C_v$ , then  $ft(C_u) < ft(C_v)$ .


$$(u, v) \in E_t \Rightarrow$$


$$(v, u) \in E \Rightarrow$$

$$(C_v, c_u) \in E_c \Rightarrow$$

$$ft(C_v) > ft(C_u) \Rightarrow$$

$$ft(C_u) < ft(C_v)$$





### Corollary

Let  $C_u$  and  $C_v$  be two distinct SCCs in the directed graph G = (V, E).

If there is an edge  $(u, v) \in E_t$  with  $u \in C_u$  and  $v \in C_v$ , then  $ft(C_u) < ft(C_v)$ .


$$(b,a) \in E_t \Rightarrow$$


$$(a,b) \in E \Rightarrow$$

$$(C_a, C_b) \in E_c \Rightarrow$$

$$12 = ft(C_a) > ft(C_b) = 11 \Rightarrow$$


$$11 = ft(C_b) < ft(C_a) = 12$$





- If the component  $C_u$  and the component  $C_v$  are connected by an edge  $(u, v) \in E_t$ , then:
  - From the corollary,  $ft(C_u) < ft(C_v)$
  - From the algorithm, the visit of  $C_v$  will start before the visit of  $C_u$
- There is no path between  $C_v$  and  $C_u$  in  $G_t$  (otherwise the graph would be cyclic)
  - From the algorithm, the visit of  $C_v$  will not reach  $C_u$ ,

In other words, cc() will correctly assign the component identifiers to nodes.



### If you are starting to have some fun...

#### Good news... there are at least 120+ other algorithms on graphs!

#### Pages in category "Graph algorithms"

The following 128 pages are in this category, out of 128 total. This list may not reflect recent changes (learn more).

#### Α

- A\* search algorithm
- Alpha-beta pruning
- Aperiodic graph

#### В

- B\*
- Barabási-Albert model
- Belief propagation
- Bellman–Ford algorithm
- · Bianconi-Barabási model
- · Bidirectional search
- Borůvka's algorithm
- Bottleneck traveling salesman problem
- · Breadth-first search
- · Bron-Kerbosch algorithm
- · Bully algorithm

#### C

- Centrality
- · Chaitin's algorithm
- · Christofides algorithm
- \_\_\_\_\_
- Clique percolation method
- Closure problem
- Color-coding
- Contraction hierarchies
- · Courcelle's theorem
- · Cuthill-McKee algorithm

D

- Floyd-Warshall algorithm
- · Force-directed graph drawing
- · Ford-Fulkerson algorithm
- Fringe search

#### G

- Gallai–Edmonds decomposition
- Girvan-Newman algorithm
- Goal node (computer science)
- · Gomory-Hu tree
- Graph bandwidth
- Graph edit distance
- Graph embedding
- · Graph isomorphism
- · Graph isomorphism problem
- Orapir isomorphism probic
- Graph kernel
- Graph reduction
- Graph traversal

#### н

- · Hall-type theorems for hypergraphs
- Havel–Hakimi algorithm
- · HCS clustering algorithm
- Hierarchical closeness
- · Hierarchical clustering of networks
- Hopcroft–Karp algorithm

#### ı

- Iterative deepening A\*
- Initial attractiveness
- Iterative compression

#### METIS

- Minimax
- · Minimum bottleneck spanning tree
- . Misra & Gries edge coloring algorithm

#### N

- Nearest neighbour algorithm
- Network flow problem
- Network simplex algorithm
- · Nonblocking minimal spanning switch

#### Р

- PageRank
- · Parallel all-pairs shortest path algorithm
- · Parallel breadth-first search
- Path-based strong component algorithm
- · Pre-topological order
- Prim's algorithm
- Proof-number search
- Push-relabel maximum flow algorithm

#### ĸ

- Reverse-delete algorithm
- Rocha–Thatte cycle detection algorithm

#### S

- Seidel's algorithm
- Semantic Brand Score
- Sethi–Ullman algorithm
- · Shortest Path Faster Algorithm
- SMA